



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
 P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
 Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
 E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

**Ultra Thin Lights, Strobe
 Product Specifications**

Description	
One Pair Ultra Thin Lights with standard brackets	
Part Number ETUTS(xx) represents one pair	
Housing	
Length	4.50"
Height	1.75" (without bracket)
Depth	2.75"
Material	aluminum
Weight	12.5oz
Lens	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Tube	
Type	Helix Strobe
Flash Energy	20 Joules Nominal, 25 Joules Maximum
Input Current	32 Watts Maximum
Life Span	+5,000,000 flashes
Connector	Amp (industry standard)
Bracket	
Type	U Bracket for Flat and Stud Mount



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

Ultra Thin Lights, Halogen Product Specifications

Description	
One Pair Ultra Thin Lights with standard brackets	
Part Number ETUTH(xx) represents one pair	
Housing	
Length	4.50"
Height	1.75" (without bracket)
Depth	2.75"
Material	aluminum
Weight	12.5oz
Lens	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Bulb	
	H-3 55 watt
Bracket	
Type	U Bracket for Flat and Stud Mount



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
 P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
 Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
 E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

**Ultra Thin Light with Headliner bracket, Strobe
 Product Specifications**

Description	
Part Number EHUTS(x) represents ONE EACH	
Housing	
Length	4.50"
Height	1.75" (without bracket)
Depth	2.75"
Material	aluminum
Weight	12.5oz
Lens	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Tube	
Type	Helix Strobe
Flash Energy	20 Joules Nominal, 25 Joules Maximum
Input Current	32 Watts Maximum
Life Span	+5,000,000 flashes
Connector	Amp (industry standard)
Bracket	
Type	Rear View Mirror style.
Mount utilizes stick on metal tab (to windshield) and slide on metal bracket (powder coated) that utilizes a ball socket to connect to light head for angle adjustment. Metal tab is enlarged for additional mounting strength (1 1/4"X 1 1/2"). Adhesive is included.	



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
 P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
 Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
 E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

**Ultra Thin Light with Headliner bracket, Halogen
 Product Specifications**

Description	
Part Number EHUTH(x) represents ONE EACH	
Housing	
Length	4.50"
Height	1.75" (without bracket)
Depth	2.75"
Material	aluminum
Weight	12.5oz
Lens	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Bulb	
H-3 55 watt	
Bracket	
Type	Rear View Mirror style.
Mount utilizes stick on metal tab (to windshield) and slide on metal bracket (powder coated) that utilizes a ball socket to connect to light head for angle adjustment. Metal tab is enlarged for additional mounting strength (1 1/4"X 1 1/2"). Adhesive is included.	



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

Dual Ultra Thin Light with Headliner brackets, Halogen Product Specifications

Description	
Part Number EHUTH(xx) represents ONE EACH	
Housing	
Length	9.00" (without bracket)
Height	1.75"
Depth	2.75"
Material	aluminum
Weight	1 lbs 4oz
Lens (2 per unit)	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Bulb	
H-3 55 watt (2) per unit	
Bracket	
Type	Rear View Mirror style.
Mount utilizes (2) stick on metal tabs (to windshield) and slide on metal brackets that have pivot connection at each side of the light head for angle adjustment. Metal tab is enlarged for additional mounting strength (1 1/4" X 1 1/2"). Adhesive is included.	



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
 P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
 Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
 E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

**Dual Ultra Thin Light with Headliner brackets, Strobe
 Product Specifications**

Description	
Part Number EHUTS(xx) represents ONE EACH	
Housing	
Length	9.00" (without bracket)
Height	1.75"
Depth	2.75"
Material	aluminum
Weight	1 lbs 4oz
Lens (2 per unit)	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Tube	
Type	Helix Strobe (2) per unit
Flash Energy	20 Joules Nominal, 25 Joules Maximum
Input Current	32 Watts Maximum
Life Span	+5,000,000 flashes
Connector	Amp (industry standard)
Bracket	
Type	Rear View Mirror style.
Mount utilizes (2) stick on metal tabs (to windshield) and slide on metal brackets that have pivot connection at each side of the light head for angle adjustment. Metal tab is enlarged for additional mounting strength (1 1/4"X 1 1/2"). Adhesive is included.	



Sound Off, Inc.

Emergency Technology Division, Alcohol Technology Division
 P.O. Box 206 5132 37th Ave. Hudsonville, MI 49426 USA
 Tel: 616-669-0230, 1-800-338-7337 - Fax: 616-669-3475
 E-mail: postoffice@soundoffinc.com WWW: www.soundoffinc.com

**Dual Ultra Thin Light with Headliner brackets, Strobe/Halogen Combination
 Product Specifications**

Description	
Part Number EHUTSH(xx) represents ONE EACH	
Housing	
Length	9.00" (without bracket)
Height	1.75"
Depth	2.75"
Material	aluminum
Weight	1 lbs 4oz
Lens (2 per unit)	
Size	4.50" X 1.75"
Material	Glass
Available Colors	Red, Blue, Amber, Green and Clear
Tube	
Type	Helix Strobe (1) per unit
Flash Energy	20 Joules Nominal, 25 Joules Maximum
Input Current	32 Watts Maximum
Life Span	+5,000,000 flashes
Connector	Amp (industry standard)
Bulb	
	H-3 55 watt (1) per unit
Bracket	
Type	Rear View Mirror style.
Mount utilizes (2) stick on metal tabs (to windshield) and slide on metal brackets that have pivot connection at each side of the light head for angle adjustment. Metal tab is enlarged for additional mounting strength (1 1/4" X 1 1/2"). Adhesive is included.	